



Swisstrax Flooring 4



The Swisstrax Brand


Randy Nelson, Founder & CEO, directed the development of this revolutionary modular flooring line in Switzerland for over 20 years before bringing the product to the USA in 2006. Today, the Swiss engineered flooring is proudly manufactured exclusively in the US and Canada and distributed direct from its headquarters in Southern California.

Swisstrax flooring continues to offer the premier modular flooring solution for commercial, residential and industrial applications world wide!



Table of Contents

4	About Swisstrax	16	Floortrax®	25	Anti-Fatigue Mats
6	Commercial Flooring	18	Sportrax®	26	Accessories
8	Residential Flooring	20	Rubbertrax™	27	Installation & Maintenance
10	Ribtrax®	22	Vinyltrax®		
12	Diamondtrax®	23	Carpetrax® & Turftrax®		
14	Cointrax®	24	Logotrax & Graphictrax®		






AboutSwisstrax

The world's finest modular flooring.

Swisstrax is a fun, easy, and effective way to transform your floor in hours! These revolutionary interlocking tiles are purposed to quickly cover cracks, stains, damaged epoxy or just plain old boring concrete!

Designed with the finest Swiss engineering, Swisstrax tiles are the only modular tile on

the market to feature a proprietary 4 point injection molding process. This process ensures that every tile has maximum material distribution, edge to edge and corner to corner. It's just one of the many quality components that set Swisstrax apart from any other standard modular tile.



Our Mission:

Profitable growth through superior customer service, innovation, quality and commitment.

Key Benefits

- Do It Yourself install No special tools or adhesives
- No prep work needed
- Comfortable, Safe, Non-Slip
- Up to 19 colors available -100% UV Stabilized material
- Easy, hassle free maintenance

- Supports up to 70,000 lbs of rollover weight
- Chemical resistant, stain resistant, no toxic fumes
- Go Green! Most Swisstrax products are 100% recyclable
- Personal flooring specialists to help you every step of the way





















... and more!

5




Commercial Flooring Superior quality and customized appearance.

Swisstrax flooring is the perfect way to enhance the look of your business or work space. These tiles are easy to install, easy to maintain and designed to withstand the demands of a commercial environment. Customize your floor to reflect the look of your business and even add your company logo right into the tiles. With rollover strength up to 70,000 lbs and the ability to support the weight and mobility of a jack stand,

you can work on your floor with confidence. Our tiles are also chemical resistant and able to function in temperatures ranging from -22°F to 248°F. Since manufacturing began in the United States, Swisstrax flooring has been the #1 choice for industry leaders including Barrett Jackson, SEMA, Ford, Dodge, John Deere and more ...

Hangars • Workshops • Showrooms • Dealerships • Fire Stations Event Flooring and more...



866,748,7940

Official Licensed Product











Preferred Supplier To











































... and many more.



"We're working daily — grinding, cutting, changing out fluids. We've been so impressed with how well the Swisstrax flooring has held up. Spills just drain out of our way, so we never have to worry about laying or slipping on fluids. At the end of the day our backs aren't killing us, which has been a big deal. We completely endorse Swisstrax and plan on using these tiles anywhere we possibly can." — **Nic Ashby, Rockstar Performance Garage**





Residential Flooring Transform your floor in hours.

Swisstrax offers an ideal alternative to standard concrete and epoxy flooring. It is the perfect option to enhance the look of your residential space and can be installed within hours! Cover up floor imperfections such as cracks, stains, lifted epoxy spots or just plain old boring concrete. Our modular flooring system is eye-catching, easy to assemble, easy to maintain and backed by a full 15 year warranty.

Swisstrax tiles are also chemical resistant to any fluids you would find in a garage (oils, hydraulic fluids, radiator coolant, etc.) Whether you experience snowy winters or hot, humid summers, Swisstrax has a solution that will fit your flooring needs! With 6 tile styles to choose from and up to 19 different colors, you can customize your space and be the "talk of your block!"

866,748,7940

Garages • Patios • Basements • Home Gyms • Toy Barns Storage Areas and more...


"After researching every option to cover my concrete garage floor, it was obvious to me that Swisstrax was the way to go! Easier to install and maintain than epoxy and no other tile company came close to their quality!" Ken Smith, Palm Desert, CA



Top Reasons to install Swisstrax over any other interlocking tile.

- Easy to remove/replace a tile: Our patented connection system allow you to easily remove one tile or pull up a section of tiles from anywhere in your floor.
- UV Stabilized Material: Stabilizers are incorporated into the material AND the color pigments directly, insuring your tile color stays vibrant and resists fading.
- 4 Point Injection: The most revolutionary injection method on the market. Ensures maximum material distribution and prevents the tile's edges from curling up over time.
- **Superior Design:** Our tiles contain the most material per square foot and the spaces between the tile's

- support structures are no more than 3/8". The smaller the spacing, the stronger the tile. (Competitors can have up to 1 1/4" voids)
- **Superior Connection:** Swisstrax tiles feature more connectors per side than any competitor's tile on the market. Our patented loop and peg connectors are Swiss engineered for easy assembly and a secure fit.
- Superior Quality: Swiss engineered and exclusively made in the United States and Canada. Tested in accordance with national standards such as ASTM as well as Australian and European test methods.



9



Ribtrax


Where form meets function.

The most popular tile style in our collection overall, the **Ribtrax**® features a revolutionary open profile design. Ideal for a wide variety of residential and commercial applications and can be used indoors or outdoors. Regular maintenance will be a thing of the past once a **Ribtrax**® floor is installed. Dirt, debris and liquids will drain through, keeping the surface of your floor clean and dry month after



month. Engineered with an advanced channeling system underneath, you can easily remove dirt and debris with a high pressure hose or a shop vac.

Garages • Hangars • Patios • Showrooms Event Floors and more...




10





Dimensions.



Specifications.


Tile Size 15.75 in (40 cm) x 15.75 in (40 cm) Height/Thickness 0.75 in (1.9 cm) **Perforation Width** 0.13 in (0.32 cm) Weight 23.5 oz. (1.47 lb) Material Polypropylene copolymer **Resistance To** Excellent - Oil, gas & other auto fluids; Good - Acids & solvents

Temp Range -22°F (-30°C) to 248°F (120°C)

Compression Strength 3,150 psi

HB (horizontal burn) Fire Rating

15 Years Warranty





Diamondtraxi

Sturdy and dependable solid tile.

The best-selling solid tile in our collection, the **Diamondtrax®** is a standard choice for any indoor application requiring an attractive, non-slip solid surface. The industrial "diamond plate" pattern is eye-catching and cleans up easily. Mix and match colors to create your own custom design that can be installed in hours!




Garages • Residential and Commercial Work Shops Showrooms and more...



12 866.748.7940



Dimensions.



A: length 13.00 in (33 cm) B: width 13.00 in (33 cm) C: height 0.50 in (1.3 cm)

Weight 17.3 oz. (490.45 g)

Specifications.

Tile Size 13.00 in (33 cm) x 13.00 in (33 cm)

Height/Thickness 0.50 in (1.3 cm) Weight Tile: 17.3 oz. (1.08 lb) Material Polypropylene Copolymer

Resistance To Excellent - Oil, gas & other auto fluids; Good - Acids & solvents

-22°F (-30°C) to 248°F (120°C) **Temp Range**

Compression Strength 3,130 psi

HB (horizontal burn) **Fire Rating**

Warranty 15 Years






















Cointrax


Classic circular design.

Cointrax® is a non-slip, solid surface with a low-profile coin top pattern. Easy to install, this style offers a practical choice to enhance the look of your home or business. The smoother surface of the **Cointrax®** makes it usable in areas where casters are utilized or equipment is moved.



Garages • Gyms • Office Areas Commercial Buildings and more...


"We've been able to totally transform the look of our gym space with Swisstrax. The Cointrax tiles covered our old carpet perfectly and the best part was the whole thing was installed in less than one day! We love the instant upgrade and our patrons really enjoy working out on the new floor!" — Kirk Chrisco, Kirkfit Gym, Indio, Ca



14 866.748.7940



Dimensions.



A: length 13.00 in (33 cm)
B: width 13.00 in (33 cm)
C: height 0.50 in (1.3 cm)
Weight 18.1 oz. (513.13 g)

Specifications.

Tile Size 13.00 in (33 cm) x 13.00 in (33 cm)

Height/Thickness0.50 in (1.3 cm)WeightTile: 18.1 oz. (1.13 lb)MaterialPolypropylene Copolymer

Resistance To Excellent - Oil, gas & other auto fluids; Good - Acids & solvents

Temp Range -22°F (-30°C) to 248°F (120°C)

Compression Strength 3,130 psi

Fire Rating HB (horizontal burn)

Warranty 15 Years





















Floortrax


Smooth textured finish.

Floortrax® is our smoothest solid tile surface and is widely used indoors in offices and gyms. **Floortrax®** tiles are a great option for areas where a flat, even surface is needed for easy maneuvering of chair wheels and/or casters.




866.748.7940

Office Areas • Showrooms • Event Floors Commercial Buildings and more...





Dimensions.



A: length 13.00 in (33 cm)
B: width 13.00 in (33 cm)
C: height 0.50 in (1.3 cm)

Weight 18.1 oz. (513.13 g)

Specifications.

Tile Size 13.00 in (33 cm) x 13.00 in (33 cm)

Height/Thickness0.50 in (1.3 cm)WeightTile: 18.1 oz. (1.13 lb)MaterialPolypropylene Copolymer

Resistance To Excellent – Oil, gas & other auto fluids; Good – Acids & solvents

Temp Range -22°F (-30°C) to 248°F (120°C)

Compression Strength 3,130 psi

Fire Rating HB (horizontal burn)

Warranty 15 Years






















Sportraxe


Superb multi-use functionality.

Originally designed for indoor sport courts, the **Sportrax®** tiles can easily create a unique and fully functional athletic floor in hours! The unique perforated design provides an excellent playing surface without the worry of dirt and water interference. **Sportrax®** may also be incorporated with any of our solid tile styles in areas that require drainage.



In-Line/Roller Hockey Arenas • Sport Courts Recreational Rooms • Boats and more...


"The Swisstrax court has been amazing. It is a perfect material for our office activities. The Sportrax tiles are easy to put together when setting up and even easier to take apart, making it portable and ideal for an outdoor hockey rink." — Ty Gretzky, Founder and Principal of Gretzky Hockey School



18 866.748.7940



Dimensions.



A: length 13.00 in (33 cm) B: width 13.00 in (33 cm) C: height 0.50 in (1.3 cm) Weight 13.5 oz. (382.72 g)

Specifications.

Tile Size 13.00 in (33 cm) x 13.00 in (33 cm)

Height/Thickness 0.50 in (1.3 cm) Weight Tile: 18.1 oz. (1.13 lb) Material Polypropylene Copolymer

Resistance To Excellent - Oil, gas & other auto fluids; Good - Acids & solvents

-22°F (-30°C) to 248°F (120°C) **Temp Range**

Compression Strength 3,130 psi

Fire Rating HB (horizontal burn)

15 Years Warranty



















Rubbertrax

A smart, sustainable choice.



Swisstrax is committed to sustainability and doing our part to help the environment we live in. Our Recycled Rubber Program has removed thousands of tires from landfills across the country.

That rubber is then re-purposed to create an anti-fatigue version of our interlocking tiles. These products carry the


Swisstrax brand, so you know they are safe, strong, and built to last. **100% post-**

consumer recycled content. LEEDS Points qualified.

We are dedicated to making a positive impact on the world we live in, while adhering to the quality standards we're known for.

Garages • Custom Work Mats • Work Shops • Retail Areas Equestrian Facilities • Agricultural Uses and more...

"We are a company that continues to innovate. It has been an ongoing goal to develop a product that could incorporate these recycled materials into a high quality flooring solution. We've achieved that goal with the Rubbertrax tiles and we're proud of the positive effects it has had on our environment. They've performed for John Deere and South Point Equestrian facilities so we feel confident that they can perform for you." — **Randy Nelson, Founder and CEO, Swisstrax Corporation**



20 866.748.7940



N.

Dimensions.

Tile A

A: length 13.00 in (33 cm)
B: width 13.00 in (33 cm)
C: height 0.50 in (1.3 cm)
Weight 18.1 oz. (666.21 q)

`

Tile B

A: length 15.75 in (40 cm)
B: width 15.75 in (40 cm)
C: height 0.75 in (1.9 cm)
Weight 23.5 oz. (666.21 g)

Specifications.

Tile Size Tile A: 13.00 in (33 cm) x 13.00 in (33 cm)

Tile B: 15.75 in (40 cm) x 15.75 in (40 cm)

 Height/Thickness
 Tile A: 0.50 in (1.3 cm)/Tile B: 0.75 in (1.9 cm)

 Weight
 Tile A: 18.1 oz. (1.13 lb) / Tile B: 23.5 oz. (1.47 lb)

Material Polylast Engineered Rubber

Resistance To Excellent – Oil, gas & other auto fluids; Good – Acids & solvents

Temp Range -22°F (-30°C) to 248°F (120°C)

Compression Strength 2,120 psi

Fire Rating HB (horizontal burn)

Warranty 7 Years

Colors.



Jet Black











Vinyltrax

Modular vinyl flooring is now at your fingertips.

Swisstrax has taken vinyl flooring to the next level with this attractive and durable interlocking system. It has never been easier to transform your showroom, garage floor, trade show booth or event floor with a premium, commercial grade vinyl solution! The **Vinyltrax®** collection features patterns and colors that can complement any preference or esthetic requirement. Choose from a variety of stylish woodgrains, striking carbon fiber or even sleek brushed metal.

Vinyltrax® incorporates a premium quality vinyl insert within an interlocking Polypropylene base. The base features the same patented channeling system as the Ribtrax® tiles, ensuring maximum air flow underneath as well as a sturdy, comfortable feel. **Vinyltrax®** is also able to interlock with any of our other 15.75" tile styles to distinguish particular areas and meet the needs of most any flooring environment.


Applications.

- Garages
- Dance Floors
- Event Floors
- Offices
- Stage Floors





- Auto Dealerships



Specifications.

Tile Size 15.75 in (40 cm) x 15.75 in (40 cm)

Height/Thickness 0.75 in (1.9 cm) Weight 23.5 oz. (1.47 lb)

Material Tile Base: Polypropylene copolymer. Tile Surface: Commercial grade vinyl.

Fire Rating HB (horizontal burn)

Warranty 15 Years

Colors.









Brushed

Metal



Espresso

Carbon

Fiber




Vintage

Dimensions.

Black

Pearl



A: length B: width C: height

15.75 in (40 cm) 15.75 in (40 cm) 0.75 in (1.9 cm)

Weight 23.5 oz. (666.21 g)





Carpetrax

The easier way to carpet your floor.

Never before has it been faster or easier to install plush, premium carpet for both permanent and temporary installations! Carpetrax® tiles can cover most any hard, solid surface without the typical hassles of installing traditional carpeting. With a variety of custom styles and colors to choose from, these interlocking tiles can transform office areas, event floors, exhibit halls and more.

Carpetrax® incorporates a premium quality carpet insert within an interlocking Polypropylene base. The base features the same patented channeling system as the Ribtrax® tiles, ensuring maximum air flow underneath as well as a sturdy, comfortable feel. **Carpetrax®** is also able to interlock with any of our other 15.75" tile styles to distinguish particular areas and meet the needs of most any flooring environment.



Specifications.

Tile Size 15.75 in (40 cm) x 15.75 in (40 cm)

Height/Thickness 0.75 in (1.9 cm) Weight 23.5 oz. (1.47 lb)

Material Tile Base: Polypropylene copolymer.

Tile Surface: Eco-friendly RPET fibers.

HB (horizontal burn) Fire Rating

Warranty 15 Years

Colors.

Contact Swisstrax for Carpetrax® colors and patterns available.













Turfirax

An eco-friendly turf option.

Turftrax® is yet another eco-friendly tile innovation from Swisstrax, the leaders in premium modular flooring! Create the look of a fresh green landscape without the hassle of prep-work and with all the benefits of a portable system that is virtually maintenance free! **Turftrax®** tiles are easy to install and can quickly transform recreational areas, event floors, patios and more!

Turftrax® incorporates a premium quality artificial turf insert within an interlocking Polypropylene base. The base features the same patented channeling system as the Ribtrax® tiles, ensuring maximum air flow underneath as well as a sturdy, comfortable feel. Turftrax® is also able to interlock with any of our other 15.75" tile styles to distinguish particular areas and meet the needs of most any flooring environment.



Specifications.

Tile Size 15.75 in (40 cm) x 15.75 in (40 cm)

Height/Thickness 0.75 in (1.9 cm) Weight 23.5 oz. (1.47 lb)

Material Tile Base: Polypropylene copolymer.

Tile Surface: 100% polyethylene fibers.

Fire Rating HB (horizontal burn)

Warranty 15 Years

Colors.



Turf Green





















Logotrax

Custom contoured logos to showcase your brand.

Logotrax are a unique option if you are looking for a durable, long lasting branding solution for your Swisstrax floor. These custom works of craftsmanship can enhance your event floor or upgrade your showroom, attracting new business and helping you stand above the crowd. Whether you are looking to make a lasting impression or market your brand, **Logotrax** are your ideal solution.

Every **Logotrax** logo is durable, non-slip and designed to last. Your high resolution logo or image is printed onto a Lexan plate that is custom cut to the size and specification of your choice. The tiles are then routed out and the logo is set directly into the tiles themselves. The result is a seamless, contoured logo that is permanently embossed into the tiles and assembles right into your Swisstrax floor.



Tile Styles

- Ribtrax®
- Sportrax[®]
- Cointrax[®]
- Diamondtrax®
- Floortrax

Colors

 See individual tile styles to see what colors are available

Sizes

 Custom sizes available. Contact Swisstrax for more information













Graphictrax

Endless options to customize your floor.

Take your custom floor to the next level with **Graphictrax®** premium printed vinyl solutions. There has never been an easier way to completely personalize your Swisstrax floor with an image or company logo! Graphictrax® is fully customizable and interchangeable, so you can transform the look or brand identity of your floor in seconds!

Choose from thousands of images, patterns, colors and styles or provide your own high resolution file. Your image is then printed directly onto high quality vinyl that can withstand the demands of both residential and commercial environments.

Graphictrax® incorporates the printed vinyl image within an interlocking polypropylene base. The base features the same patented channeling system as the Ribtrax® tiles, ensuring maximum air flow underneath as well as a sturdy, comfortable feel. **Graphictrax®** can be incorporated with any of our 15.75" tile styles to distinguish particular areas and meet the needs of most any flooring environment.



Specifications.

Tile Size Increments of 15.75 in (40 cm) x 15.75 in —

From a single tile to a whole entire floor

Height/Thickness 0.75 in (1.9 cm) Weight 23.5 oz. (1.47 lb)

Material Tile Base: Polypropylene copolymer.

Tile Surface: Commercial grade vinyl.

Fire Rating HB (horizontal burn)

Warranty 15 Years

















24 866.748.7940


Anti-Fatigue Work Mats

Easy on your feet.

Swisstrax **Anti-Fatigue Work Mats** are ideal for work areas, retail spaces, gyms & other applications where a softer tile is desired or where someone may be standing for long periods of time. The open profile of the antifatigue mats facilitates easy cleaning and ensures a dry, non-slip surface.

These **Anti-Fatigue Work Mats** can be combined to create your own custom size floor mat or you can even integrate them within your Swisstrax floor installation. We recommend keeping them in areas with pedestrian traffic only, due to their softer more flexible design.

Dimensions.



A: length 52 in (132 cm) B: width 34 in (86 cm) C: height 0.75 in (1.9 cm) Weight 13 lb. (5.6 kg)



Specifications.

Mat Size 52.00 in (132 cm) x 34.00 in (86 cm)

Height/Thickness 0.75 in (1.9 cm) Weight 208 oz. (13 lb)

Material Polylast Engineered Rubber

Resistance To Excellent - Oil, gas & other auto fluids; Good - Acids & solvents

Temp Range -22°F (-30°C) to 248°F (120°C)

Compression Strength 2,120 psi

Fire Rating HB (horizontal burn)

Warranty 7 Years

Brands / Colors.



Black mat / Ford blue edges



Black mat / Racing red edges



Black mat / John Deere green edges

Swisstrax

Black mat / Black or yellow edges



































Accessories

Making the installation perfect by adding a finishing touch.

Swisstrax offers accessories that add a finishing touch to your garage. Each accessory stands up to the Swisstrax standard of excellence.




Parking Guide – Park perfect every time! 100% recycled materials; can be used on all types of floors; slip resistant design and no tools required.



Treadware Edge – Adds an extra design element to a garage floor as well as anchors down the front row of tiles for added stability.




Oil Drip Pad – Perfect partner to the Ribtrax tiles. Fluids can drain through the floor surface and will be absorbed below. No more unsightly drip pans!



Expansion Joints – eliminate buckling caused by extreme temperature variances.



Recycled Rubber Underlay – offers a sound barrier as well as prevents small pads from slipping.



Treadware Baseboard – Creates an eyecatching finish in any garage or workspace.



Tile Separator – Helps make event floor breakdown a breeze! Dismantle your entire installation for a fraction of the time and labor usually involved.



Pallets and Straps – Store and transport your tiles in sections for a fast and easy installation.



Swisstrax Traxcart – Store and transport your tiles in sections for a fast and easy installation. The castor wheels are ideal if forklifts/pallet jacks are not readily available.

26 866.748.7940

Installation & Maintenance

Transform your floor in hours.

Installing your floor

www.swisstrax.com

Swisstrax produces quality interlocking tiles that are fun, fast and easy to install! Even the average homeowner can achieve a complete floor transformation within hours! Every tile features finely constructed loop and peg connectors that interlock together with no tools required! For "wall to wall" installations, the tiles can be easily cut with any type of electrical saw or tile cutter. Across any open entryways (ex. garage door) or around the perimeter of a vehicle pad, simply snap on our beveled edge pieces and your installation is complete! For more detailed installation instructions, visit our website **www.swisstrax.com**.

Maintaining your floor

Cleaning your floor tiles can be performed in a number of ways, depending on your tile style and what works best in your installation area. Our open profile tiles (Ribtrax® and Sportrax®) can be sprayed down with a high pressure hose, blown out with a yard blower or you can run over the surface with a wet/dry shop vac. Our solid tiles can be maintained like any other traditional solid surface. Sweep, mop, vacuum, etc. With any of our tile styles, you can use most all-purpose cleaning solutions or de-greasers (just make sure they are suitable for use on plastics).



